FORM **2A**

NPDES

NPDES FORM 2A APPLICATION OVERVIEW

APPLICATION OVERVIEW

Form 2A has been developed in a modular format and consists of a "Basic Application Information" packet and a "Supplemental Application Information" packet. The Basic Application Information packet is divided into two parts. All applicants must complete Parts A and C. Applicants with a design flow greater than or equal to 0.1 mgd must also complete Part B. Some applicants must also complete the Supplemental Application Information packet. The following items explain which parts of Form 2A you must complete.

BASIC APPLICATION INFORMATION:

- **A. Basic Application Information for all Applicants.** All applicants must complete questions A.1 through A.8. A treatment works that discharges effluent to surface waters of the United States must also answer questions A.9 through A.12.
- B. Additional Application Information for Applicants with a Design Flow ≥ 0.1 mgd. All treatment works that have design flows greater than or equal to 0.1 million gallons per day must complete questions B.1 through B.6.
- C. Certification. All applicants must complete Part C (Certification).

SUPPLEMENTAL APPLICATION INFORMATION:

- D. Expanded Effluent Testing Data. A treatment works that discharges effluent to surface waters of the United States and meets one or more of the following criteria must complete Part D (Expanded Effluent Testing Data):
 - 1. Has a design flow rate greater than or equal to 1 mgd.
 - 2. Is required to have a pretreatment program (or has one in place), or
 - 3. Is otherwise required by the permitting authority to provide the information.
- E. Toxicity Testing Data. A treatment works that meets one or more of the following criteria must complete Part E (Toxicity Testing Data):
 - 1. Has a design flow rate greater than or equal to 1 mgd,
 - 2. Is required to have a pretreatment program (or has one in place), or
 - 3. Is otherwise required by the permitting authority to submit results of toxicity testing.
- F. Industrial User Discharges and RCRA/CERCLA Wastes. A treatment works that accepts process wastewater from any significant industrial users (SIUs) or receives RCRA or CERCLA wastes must complete Part F (Industrial User Discharges and RCRA/CERCLA Wastes). SIUs are defined as:
 - 1. All industrial users subject to Categorical Pretreatment Standards under 40 Code of Federal Regulations (CFR) 403.6 and 40 CFR Chapter I, Subchapter N (see instructions); and
 - 2. Any other industrial user that:
 - a. Discharges an average of 25,000 gallons per day or more of process wastewater to the treatment works (with certain exclusions); or
 - b. Contributes a process wastestream that makes up 5 percent or more of the average dry weather hydraulic or organic capacity of the treatment plant; or
 - c. Is designated as an SIU by the control authority.
- G. Combined Sewer Systems. A treatment works that has a combined sewer system must complete Part G (Combined Sewer Systems).

ALL APPLICANTS MUST COMPLETE PART C (CERTIFICATION)

BASIC APPLICATION INFORMATION

l tr	eatment works must comple	te questions A.1 through A.8 of the	is Basic Application Information pack	et.
1.	Facility Information.			
	Facility name			
	Mailing Address			
	Contact person			
	Title			
	Telephone number			
	Facility Address			
	(not P.O. Box)			
	Applicant Information. If the	e applicant is different from the above	e, provide the following:	
	Applicant name			
	Mailing Address			
	Contact person			
	Title			
	Telephone number			
	Is the applicant the owner of	or operator (or both) of the treatme	ent works?	
	owner	operator		
	Indicate whether corresponde	ence regarding this permit should be d	lirected to the facility or the applicant.	
	facility	applicant		
	Existing Environmental Per (include state-issued permits)		any existing environmental permits that ha	ve been issued to the treatment work
	NPDES		PSD	
	UIC		Other	
	RCRA		Other	
	Collection System Informate entity and, if known, provide in	t ion. Provide information on municipanformation on the type of collection sy	alities and areas served by the facility. Prostem (combined vs. separate) and its own	ovide the name and population of eachership (municipal, private, etc.).
	Name	Population Served	Type of Collection System	Ownership
		<u> </u>		

FAC	LITY	/ NAME AND PERMIT NUMBER:			proved 1/14/99 nber 2040-0086								
A.5.	Ind	ian Country.	l										
	a.	Is the treatment works located in Indian Country?											
		Yes No											
	b.	Does the treatment works discharge to a receiving water that is either in Inc through) Indian Country?	lian Country or that is upstro	eam from (and eventua	lly flows								
		Yes No											
A.6.	6. Flow. Indicate the design flow rate of the treatment plant (i.e., the wastewater flow rate that the plant was built to handle). Also provided daily flow rate and maximum daily flow rate for each of the last three years. Each year's data must be based on a 12-month time period month of "this year" occurring no more than three months prior to this application submittal.												
	a.	Design flow rate mgd											
		Two Years Ago	Last Year	This Year									
	b.	Annual average daily flow rate			mgd								
	c.	Maximum daily flow rate			mgd								
A.7.		Ilection System. Indicate the type(s) of collection system(s) used by the transfer tribution (by miles) of each.	eatment plant. Check all tha	at apply. Also estimate	the percent								
		Separate sanitary sewer			%								
		Combined storm and sanitary sewer			%								
A.8.	Dis	charges and Other Disposal Methods.											
	a.	Does the treatment works discharge effluent to waters of the U.S.?		Yes	No								
		If yes, list how many of each of the following types of discharge points the t	reatment works uses:										
		i. Discharges of treated effluent											
		ii. Discharges of untreated or partially treated effluent											
		iii. Combined sewer overflow points											
		iv. Constructed emergency overflows (prior to the headworks)											
		v. Other											
	b.	Does the treatment works discharge effluent to basins, ponds, or other surf	ace impoundments	v									
		that do not have outlets for discharge to waters of the U.S.?		Yes	No								
		If yes, provide the following for each surface impoundment: Location:											
		Annual average daily volume discharged to surface impoundment(s)		m	ngd								
		Is discharge continuous or intermittent?											
	c.	Does the treatment works land-apply treated wastewater?		Yes	No								
		If yes, provide the following for each land application site:											
		Location:											
		Number of acres:											
		Annual average daily volume applied to site:	Mgd										
		Is land application continuous or intermitte	ent?										
	Ч	Does the treatment works discharge or transport treated or untreated waste	water to another										

treatment works?

No

____ Yes

FACILITY NAME AND PERMIT NUMBER: Form Approved 1/14/99 OMB Number 2040-0086 If yes, describe the mean(s) by which the wastewater from the treatment works is discharged or transported to the other treatment works (e.g., tank truck, pipe). If transport is by a party other than the applicant, provide: Transporter name: Mailing Address: Contact person: Title: Telephone number: For each treatment works that receives this discharge, provide the following: Name: Mailing Address: Contact person: Title: Telephone number: If known, provide the NPDES permit number of the treatment works that receives this discharge. Provide the average daily flow rate from the treatment works into the receiving facility.

Does the treatment works discharge or dispose of its wastewater in a manner not included in

continuous or

A.8.a through A.8.d above (e.g., underground percolation, well injection)?

Description of method (including location and size of site(s) if applicable):

If yes, provide the following for each disposal method:

Annual daily volume disposed of by this method:

Is disposal through this method

FACILITY NAME AND PERMIT NUMBER:

Form Approved 1/14/99
OMB Number 2040-0086

WASTEWATER DISCHARGES:

If you answered "yes" to question A.8.a, complete questions A.9 through A.12 once for each outfall (including bypass points) through which effluent is discharged. Do not include information on combined sewer overflows in this section. If you answered "no" to question A.8.a, go to Part B, "Additional Application Information for Applicants with a Design Flow Greater than or Equal to 0.1 mgd."

	escription of Outfall.				
a.	Outfall number				
b.	Location	(City or town, if applicable)			(Zip Code)
		(County)			(State)
		(Latitude)			(Longitude)
C.	Distance from shore (if	applicable)		ft.	
d.	Depth below surface (if	f applicable)		ft.	
e.	Average daily flow rate			mgd	
f.	Does this outfall have a discharge?	either an intermittent or a periodic	v		N (
	Maria a maria da da Callar		Yes	-	No (go to A.9.g.)
	If yes, provide the follow	wing information.			
	Number of times per ye	ear discharge occurs:			
	Average duration of ea	ch discharge:			
	Average flow per disch	arge:			mgd
	Months in which discha	arge occurs:			
					No
α	Is outfall equipped with	a diffuser?	Yes		
g.	Is outfall equipped with	a diffuser?	Yes		No
		_	Yes		NO
	Is outfall equipped with	_	Yes		NO
	escription of Receiving	Waters.	Yes		NO
0. D	escription of Receiving Name of receiving wate	Waters.	Yes		NO
0. D o	Name of watershed (if	Waters. er known)			NO
0. D o	Name of watershed (if	Waters.			NO
0. D o a. b.	Name of watershed (if United States Soil Cons	Waters. er known) servation Service 14-digit watershed o			NO
0. D o	Name of watershed (if United States Soil Constituted Manage	Waters. er known) servation Service 14-digit watershed of the servation of the service watershed of the service of the service watershed of the	code (if known):		
0. D o a. b.	Name of watershed (if United States Soil Constituted Manage	Waters. er known) servation Service 14-digit watershed o	code (if known):		NO
0. D (a. b.	Name of watershed (if United States Soil Constituted States Geological United States Geological United States Geological United States Geological Constitution of States Geologi	Waters. er known) servation Service 14-digit watershed of the servation of the service servation of the service ser	code (if known):		
0. D o a. b.	Name of receiving water Name of watershed (if United States Soil Consumate of State Manage United States Geologic Critical low flow of receiving	Waters. er known) servation Service 14-digit watershed of the servation of the service watershed of the service of the service watershed of the	code (if known):		

FACILITY NAME	AND PE	RMIT NUN	MBER:						n Approved 1/14/99 3 Number 2040-0086
A.11. Descriptio	n of Treat	ment.							
a. What le	evels of tre	atment are	e provided? Che	eck all that app	ly.				
	Prim	ary	·	Secor	dary				
	Adva	anced		Other	Describe:				
b. Indicate	e the follow	ving remov	al rates (as app	olicable):					
Design	BOD ₅ ren	noval <u>or</u> De	esign CBOD ₅ re	emoval				%	
Design	SS remov	/al						%	
Design	P remova	I						%	
Design	N remova	ıl						%	
Other								%	
c. What t	ype of disir	nfection is	used for the ef	fluent from this	outfall? If disinfe	ection varies by	y season, pleas	se describe.	
If disin	fection is b	y chlorina	tion, is dechlorii	nation used for	this outfall?	-	Ye	<u> </u>	No
d. Does the	he treatme	nt plant ha	ve post aeration	า?		-	Ye	es	No
minimum, Outfall num	effluent to	esting dat	a must be bas	sed on at leas	t three samples		no more than	n four and one-ha	
P <i>F</i>	ARAMETE	ĸ		MAXIMUM DAI				RAGE DAILY VAL	
			١	/alue	Units	Valu	е	Units	Number of Samples
pH (Minimum)					s.u.				
pH (Maximum)					s.u.				
Flow Rate									
Temperature (Wi	nter)								
Temperature (Su									
•	ease repor	t a minimu	m and a maxim MAXIMU DISCH	M DAILY		E DAILY DISC	CHARGE	ANALYTICAL METHOD	ML/MDL
			Conc.	Units	Conc.	Units	Number of Samples		
CONVENTIONAL	AND NO	NCONVEN	ITIONAL COM	POUNDS.					
BIOCHEMICAL OX	(YGEN E	BOD-5							
DEMAND (Report of	one) C	BOD-5							
FECAL COLIFORN	Л								
TOTAL SUSPEND	ED SOLID	S (TSS)							
				EN	ID OF PAF	RT A.			

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE

EPA Form 3510-2A (Rev. 1-99). Replaces EPA forms 7550-6 & 7550-22.

BA	SIC	APPLICATION INFORMATION
PAR	ТВ	ADDITIONAL APPLICATION INFORMATION FOR APPLICANTS WITH A DESIGN FLOW GREATER THAN OR EQUAL TO 0.1 MGD (100,000 gallons per day).
All ap	plica	nts with a design flow rate ≥ 0.1 mgd must answer questions B.1 through B.6. All others go to Part C (Certification).
B.1.	Inf	ow and Infiltration. Estimate the average number of gallons per day that flow into the treatment works from inflow and/or infiltration.
	Brie	fly explain any steps underway or planned to minimize inflow and infiltration.
B.2.		ographic Map. Attach to this application a topographic map of the area extending at least one mile beyond facility property boundaries. This must show the outline of the facility and the following information. (You may submit more than one map if one map does not show the entire a.)
	a.	The area surrounding the treatment plant, including all unit processes.
	b.	The major pipes or other structures through which wastewater enters the treatment works and the pipes or other structures through which treated wastewater is discharged from the treatment plant. Include outfalls from bypass piping, if applicable.
	c.	Each well where wastewater from the treatment plant is injected underground.
	d.	Wells, springs, other surface water bodies, and drinking water wells that are: 1) within 1/4 mile of the property boundaries of the treatment works, and 2) listed in public record or otherwise known to the applicant.
	e.	Any areas where the sewage sludge produced by the treatment works is stored, treated, or disposed.
	f.	If the treatment works receives waste that is classified as hazardous under the Resource Conservation and Recovery Act (RCRA) by truck, rail, or special pipe, show on the map where that hazardous waste enters the treatment works and where it is treated, stored, and/or disposed.
	pow dech	ess Flow Diagram or Schematic. Provide a diagram showing the processes of the treatment plant, including all bypass piping and all backuper sources or redundancy in the system. Also provide a water balance showing all treatment units, including disinfection (e.g., chlorination and lorination). The water balance must show daily average flow rates at influent and discharge points and approximate daily flow rates between ment units. Include a brief narrative description of the diagram.
B.4.	Оре	ration/Maintenance Performed by Contractor(s).
		any operational or maintenance aspects (related to wastewater treatment and effluent quality) of the treatment works the responsibility of a actor?YesNo
	., '	is, list the name, address, telephone number, and status of each contractor and describe the contractor's responsibilities (attach additional pages ressary).
	Nam	e:
	Maili	ng Address:
	Tele	phone Number:
	Res	onsibilities of Contractor:
	unco treat	eduled Improvements and Schedules of Implementation. Provide information on any uncompleted implementation schedule or impleted plans for improvements that will affect the wastewater treatment, effluent quality, or design capacity of the treatment works. If the ment works has several different implementation schedules or is planning several improvements, submit separate responses to question B.5 for . (If none, go to question B.6.)
	a.	List the outfall number (assigned in question A.9) for each outfall that is covered by this implementation schedule.
	b.	Indicate whether the planned improvements or implementation schedule are required by local, State, or Federal agencies. YesNo

						OMB Nun	nber 2040-0086					
c If the answer to B	.5.b is "Yes," briefly	y describe, includ	ling new maximum	daily inflow rat	e (if applicable).							
For improvements		dently of local, St	schedule or any actual dates of completion for the implementation steps listed below of local, State, or Federal agencies, indicate planned or actual completion dates, as									
		Schedule	Ac	ual Completion	1							
Implementation S	tage	MM / DD /	YYYY MM	/DD/YYYY								
 Begin construct 	ion	//	/	<i></i>								
 End constructio 	n											
 Begin discharge 	e											
 Attain operation 	al level											
			F 1 1/0; ;		1.1.10							
		_	er Federal/State red			YesNo						
Describe briefly:												
B.6. EFFLUENT TESTING	DATA (GREATER	R THAN O.1 MG	D ONLY).									
Applicants that discha required by the permit this section. All inforn data must comply with addressed by 40 CFR and one-half years old	ting authority for ean mation reported mun macaya Requirem macaya Part 136. At a mi	ach outfall through st be based on dents of 40 CFR F	h which effluent is lata collected throu Part 136 and other	<u>discharged.</u> D gh analysis cor appropriate QA	o not include info nducted using 40 /QC requirement	ormation on combined CFR Part 136 method is for standard method	sewer overflows in ds. In addition, this ds for analytes not					
Outfall Number:												
POLLUTANT		JM DAILY HARGE	AVERAG	E DAILY DISC	HARGE							
	Conc.	Units	Conc.	Units	Number of Samples	ANALYTICAL METHOD	ML / MDL					
CONVENTIONAL AND NON	ICONVENTIONAL	COMPOUNDS.										
AMMONIA (as N)												
CHLORINE (TOTAL RESIDUAL, TRC)												
DISSOLVED OXYGEN												
TOTAL KJELDAHL												
NITROGEN (TKN) NITRATE PLUS NITRITE												
NITROGEN												
OIL and GREASE												
PHOSPHORUS (Total)												
TOTAL DISSOLVED SOLIDS (TDS)												
OTHER												
REFER TO THE	APPLICATION	ON OVER	END OF PA /IEW TO DE OU MUST O	TERMIN		OTHER PART	S OF FORM					

FACILITY NAME AND PERMIT NUMBER:

Form Approved 1/14/99

FACILITY NAME AND PERMIT NUMBER:	Form Approved 1/14/99 OMB Number 2040-0086											
BASIC APPLICATION INFORMATIO	N											
PART C. CERTIFICATION												
All applicants must complete the Certification Section. Refer to instructions to determine who is an officer for the purposes of this certification. All applicants must complete all applicable sections of Form 2A, as explained in the Application Overview. Indicate below which parts of Form 2A you have completed and are submitting. By signing this certification statement, applicants confirm that they have reviewed Form 2A and have completed all sections that apply to the facility for which this application is submitted.												
Indicate which parts of Form 2A you have comple	eted and are submitting:											
Basic Application Information packet	Supplemental Application Ir	nformation packet:										
-	Part D (Expanded	Effluent Testing Data)										
-	Part E (Toxicity Te	sting: Biomonitoring Data)										
-	Part F (Industrial U	ser Discharges and RCRA/CERCLA Wastes)										
-	Part G (Combined	Sewer Systems)										
ALL APPLICANTS MUST COMPLETE THE FOLLOWIN	G CERTIFICATION.											
to assure that qualified personnel properly gather and evalu system or those persons directly responsible for gathering t	ate the information submitt the information, the informa	der my direction or supervision in accordance with a system designed ed. Based on my inquiry of the person or persons who manage the tion is, to the best of my knowledge and belief, true, accurate, and on, including the possibility of fine and imprisonment for knowing										
Name and official title												
Signature												
Telephone number												
Date signed												
Upon request of the permitting authority, you must submit a or identify appropriate permitting requirements.	ny other information neces	sary to assess wastewater treatment practices at the treatment works										

SEND COMPLETED FORMS TO:

FACILITY NAME AND PERMIT NUMBER:	
----------------------------------	--

SUPPLEMENTAL APPLICATION INFORMATION

PART D. EXPANDED EFFLUENT TESTING DATA

Refer to the directions on the cover page to determine whether this section applies to the treatment works.

Effluent Testing: 1.0 mgd and Pretreatment Treatment Works. If the treatment works has a design flow greater than or equal to 1.0 mgd or it has (or is required to have) a pretreatment program, or is otherwise required by the permitting authority to provide the data, then provide effluent testing data for the following pollutants. Provide the indicated effluent testing information and any other information required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analyses conducted using 40 CFR Part 136 methods. In addition, these data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. Indicate in the blank rows provided below any data you may have on pollutants not specifically listed in this form. At a minimum, effluent testing data must be based on at least three pollutant scans and must be no more than four and one-half years old.

POLLUTANT	ı		JM DAIL` HARGE	′	Α\	/ERAGE	DAILY	DISCH			
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
METALS (TOTAL RECOVERABLE), C	YANIDE, I	PHENOL	S, AND H	ARDNES	S.				•		
ANTIMONY											
ARSENIC											
BERYLLIUM											
CADMIUM											
CHROMIUM											
COPPER											
LEAD											
MERCURY											
NICKEL											
SELENIUM											
SILVER											
THALLIUM											
ZINC											
CYANIDE											
TOTAL PHENOLIC COMPOUNDS											
HARDNESS (AS CaCO ₃)											
Use this space (or a separate sheet) to	provide in	formation	on other	metals re	equested b	y the per	mit writer				

Outfall number:POLLUTANT							t to wate		United State	es.)	
POLLUTANT	DISCHA		JM DAIL` HARGE Mass	ARGE		Conc. Units		Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
VOLATILE ORGANIC COMPOUNDS.									Samples		
ACROLEIN											
ACRYLONITRILE											
BENZENE											
BROMOFORM											
CARBON TETRACHLORIDE											
CLOROBENZENE											
CHLORODIBROMO-METHANE											
CHLOROETHANE											
2-CHLORO-ETHYLVINYL ETHER											
CHLOROFORM											
DICHLOROBROMO-METHANE											
1,1-DICHLOROETHANE											
1,2-DICHLOROETHANE											
TRANS-1,2-DICHLORO-ETHYLENE											
1,1-DICHLOROETHYLENE											
1,2-DICHLOROPROPANE											
1,3-DICHLORO-PROPYLENE											
ETHYLBENZENE											
METHYL BROMIDE											
METHYL CHLORIDE											
METHYLENE CHLORIDE											
1,1,2,2-TETRACHLORO-ETHANE											
TETRACHLORO-ETHYLENE											
TOLUENE											

Outfall number:						discharging effluent to waters of the United States.) AVERAGE DAILY DISCHARGE						
POLLUTANT	N		JM DAIL	′	A\	/ERAGE	DAILY	DISCH	ARGE			
	Conc.	Units	HARGE Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL	
1,1,1-TRICHLOROETHANE												
1,1,2-TRICHLOROETHANE												
TRICHLORETHYLENE												
VINYL CHLORIDE												
Use this space (or a separate sheet) to	provide in	formatio	n on other	volatile o	rganic con	npounds	requested	d by the p	permit writer.			
ACID-EXTRACTABLE COMPOUNDS		<u>I</u>	I .					l .				
P-CHLORO-M-CRESOL												
2-CHLOROPHENOL												
2,4-DICHLOROPHENOL												
2,4-DIMETHYLPHENOL												
4,6-DINITRO-O-CRESOL												
2,4-DINITROPHENOL												
2-NITROPHENOL												
4-NITROPHENOL												
PENTACHLOROPHENOL												
PHENOL												
2,4,6-TRICHLOROPHENOL												
Use this space (or a separate sheet) to	provide in	formatio	n on other	acid-extra	actable co	mpounds	requeste	d by the	permit writer.		T	
BASE-NEUTRAL COMPOUNDS.	1	1	I	I.	1			I.			I	
ACENAPHTHENE												
ACENAPHTHYLENE												
ANTHRACENE												
BENZIDINE												
BENZO(A)ANTHRACENE												

BENZO(A)PYRENE												
FACILITY NAME AND PERMIT N	UMBER:										oved 1/14/99 ber 2040-0086	
Outfall number:	(Comple	te once	for each	outfall di	a effluen	ent to waters of the United States.)						
POLLUTANT		//AXIMU	IM DAIL		AVERAGE DAILY DISCHARGE							
	Conc.	Units	HARGE Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL	
3,4 BENZO-FLUORANTHENE									·			
BENZO(GHI)PERYLENE												
BENZO(K)FLUORANTHENE												
BIS (2-CHLOROETHOXY) METHANE												
BIS (2-CHLOROETHYL)-ETHER												
BIS (2-CHLOROISO-PROPYL) ETHER												
BIS (2-ETHYLHEXYL) PHTHALATE												
4-BROMOPHENYL PHENYL ETHER												
BUTYL BENZYL PHTHALATE												
2-CHLORONAPHTHALENE												
4-CHLORPHENYL PHENYL ETHER												
CHRYSENE												
DI-N-BUTYL PHTHALATE												
DI-N-OCTYL PHTHALATE												
DIBENZO(A,H) ANTHRACENE												
1,2-DICHLOROBENZENE												
1,3-DICHLOROBENZENE												
1,4-DICHLOROBENZENE												
3,3-DICHLOROBENZIDINE												
DIETHYL PHTHALATE												
DIMETHYL PHTHALATE												
2,4-DINITROTOLUENE												
2,6-DINITROTOLUENE												

1,2-DIPHENYLHYDRAZINE											
FACILITY NAME AND PERMIT NUMBER:			•					Form Approved 1/14/99 OMB Number 2040-0086			
Outfall number:	_ (Comple	te once	for each	outfall di	scharging	g effluen	t to wate	rs of the	United State	es.)	
POLLUTANT	N		JM DAIL` HARGE	′	A۱	/ERAGE	DAILY	DISCHA	ARGE		
	Conc.	Units		Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
FLUORANTHENE											
FLUORENE											
HEXACHLOROBENZENE											
HEXACHLOROBUTADIENE											
HEXACHLOROCYCLO- PENTADIENE											
HEXACHLOROETHANE											
INDENO(1,2,3-CD)PYRENE											
SOPHORONE											
NAPHTHALENE											
NITROBENZENE											
N-NITROSODI-N-PROPYLAMINE											
N-NITROSODI- METHYLAMINE											
N-NITROSODI-PHENYLAMINE											
PHENANTHRENE											
PYRENE											
1,2,4-TRICHLOROBENZENE											
Use this space (or a separate sheet) to	provide in	formation	n on other	base-neu	tral comp	ounds red	quested b	y the per	mit writer.		
Use this space (or a separate sheet) to	provide in	formation	on other	pollutants	s (e.g., pe	sticides) ı	equested	by the p	ermit writer.		
				END	OF I	PART	D.				

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM

2A YOU MUST COMPLETE

FACILITY NAME AND PERMIT NUMBER:	
----------------------------------	--

SUPPLEMENTAL APPLICATION INFORMATION

PART E. TOXICITY TESTING DATA

POTWs meeting one or more of the following criteria must provide the results of whole effluent toxicity tests for acute or chronic toxicity for each of the facility's discharge points: 1) POTWs with a design flow rate greater than or equal to 1.0 mgd; 2) POTWs with a pretreatment program (or those that are required to have one under 40 CFR Part 403); or 3) POTWs required by the permitting authority to submit data for these parameters.

- At a minimum, these results must include quarterly testing for a 12-month period within the past 1 year using multiple species (minimum of two species), or the results from four tests performed at least annually in the four and one-half years prior to the application, provided the results show no appreciable toxicity, and testing for acute and/or chronic toxicity, depending on the range of receiving water dilution. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136.
- In addition, submit the results of any other whole effluent toxicity tests from the past four and one-half years. If a whole effluent toxicity test conducted during the past four and one-half years revealed toxicity, provide any information on the cause of the toxicity or any results of a toxicity reduction evaluation, if one was conducted.
- If you have already submitted any of the information requested in Part E, you need not submit it again. Rather, provide the information

requested in question E.4 for previously submitted information. If EPA methods were not used, report the reasons for using alternate methods. If test summaries are available that contain all of the information requested below, they may be submitted in place of Part E. If no biomonitoring data is required, do not complete Part E. Refer to the Application Overview for directions on which other sections of the form to complete.						
E.1. Required Tests.						
Indicate the number of whole effluent toxicity tests conducted in the past four and one-half years. chronicacute						
E.2. Individual Test Data. Complete the column per test (where each species of		toxicity test conducted in the last four a				
, , , , , , , , , , , , , , , , , , , ,	Test number:	Test number:	Test number:			
a. Test information.						
Test species & test method number						
Age at initiation of test						
Outfall number						
Dates sample collected						
Date test started						
Duration						
b. Give toxicity test methods followed	d.					
Manual title						
Edition number and year of publication						
Page number(s)						
c. Give the sample collection method	d(s) used. For multiple grab samples,	indicate the number of grab samples u	sed.			
24-Hour composite						
Grab						
d. Indicate where the sample was taken in relation to disinfection. (Check all that apply for each)						
Before disinfection						
After disinfection						
After dechlorination						

	Test number:	Test number:	Test number:
e. Describe the point in the treatmen	t process at which the sample was co	llected.	
Sample was collected:			
f. For each test, include whether the	test was intended to assess chronic to	oxicity, acute toxicity, or both.	
Chronic toxicity			
Acute toxicity			
g. Provide the type of test performed			
Static			
Static-renewal			
Flow-through			
h. Source of dilution water. If laborat	tory water, specify type; if receiving wa	ater, specify source.	
Laboratory water			
Receiving water			
i. Type of dilution water. It salt water	r, specify "natural" or type of artificial s	ea salts or brine used.	
Fresh water			
Salt water			
j. Give the percentage effluent used	for all concentrations in the test series	3.	
k. Parameters measured during the t	test. (State whether parameter meets	test method specifications)	
рН			
Salinity			
Temperature			
Ammonia			
Dissolved oxygen			
I. Test Results.			
Acute:			
Percent survival in 100% effluent	%	%	%
LC ₅₀			
95% C.I.	%	%	%
Control percent survival	%	%	%
Other (describe)			

FACILITY NAME AND PERMIT NUMBER	R:		Form Approved 1/14/99 OMB Number 2040-0086
Chronic:			
NOEC	%	%	%
IC ₂₅	%	%	%
Control percent survival	%	%	%
Other (describe)			
m. Quality Control/Quality Assurance	ce.		
Is reference toxicant data available?			
Was reference toxicant test within acceptable bounds?			
What date was reference toxicant test run (MM/DD/YYYY)?			
Other (describe)			
E.3. Toxicity Reduction Evaluation. Is YesNo		city Reduction Evaluation?	
E.4. Summary of Submitted Biomonito of toxicity, within the past four and or results.	ring Test Information. If you have sne-half years, provide the dates the info	submitted biomonitoring test information ormation was submitted to the permitting	or information regarding the cause g authority and a summary of the
Date submitted:	(MM/DD/YYYY)		
Summary of results: (see instruction	ns)		

END OF PART E.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE.

SUPPLEMENTAL APPLICATION INFORMATION

PART F. INDUSTRIAL USER DISCHARGES AND RCRA/CERCLA WASTES

	All treatment works receiving discharges from significant in complete Part F.	dustrial users or which receive RCRA, CERCLA, or other remedial wastes must
GEN	GENERAL INFORMATION:	
F.1.	F.1. Pretreatment Program. Does the treatment works have, or	or is it subject to, an approved pretreatment program?
	YesNo	
	F.2. Number of Significant Industrial Users (SIUs) and Cate industrial users that discharge to the treatment works.	egorical Industrial Users (CIUs). Provide the number of each of the following types of
	a. Number of non-categorical SIUs.	
	b. Number of CIUs.	
SIGN	SIGNIFICANT INDUSTRIAL USER INFORMATION	ON:
	Supply the following information for each SIU. If more than provide the information requested for each SIU.	one SIU discharges to the treatment works, copy questions F.3 through F.8 and
	F.3. Significant Industrial User Information. Provide the nar as necessary.	ne and address of each SIU discharging to the treatment works. Submit additional pages
	Name:	
	Mailing Address:	
F.4.	F.4. Industrial Processes. Describe all of the industrial proce	sses that affect or contribute to the SIU's discharge.
	F.5. Principal Product(s) and Raw Material(s). Describe all discharge.	of the principal processes and raw materials that affect or contribute to the SIU's
	Principal product(s):	
	Raw material(s):	
F.6.	F.6. Flow Rate.	
	Process wastewater flow rate. Indicate the average dai (gpd) and whether the discharge is continuous or interr gpd (continuous or	
		ge daily volume of non-process wastewater flow discharged into the collection system in the transfer of the collection system in the collection system is a system of the collection system in the collection system is a system of the collection system.
F.7.	F.7. Pretreatment Standards. Indicate whether the SIU is sub	ject to the following:
	a. Local limitsYes _	No
	b. Categorical pretreatment standardsYesN	
	If subject to categorical pretreatment standards, which cate	gory and subcategory?

FACI	LITY NAME AND PERMIT NUMBER:	Form Approved 1/14/99 OMB Number 2040-0086						
F.8.	Problems at the Treatment Works Attributed to Waste Discharged by th upsets, interference) at the treatment works in the past three years?	e SIU. Has the SIU caused or contributed to any problems (e.g.,						
	YesNo If yes, describe each episode.							
	A HAZARDOUS WASTE RECEIVED BY TRUCK, RAIL, OR DED							
F.9.	 RCRA Waste. Does the treatment works receive or has it in the past three years received RCRA hazardous waste by truck, rail, or dedicated pipe? No (go to F.12.) 							
F.10.	Waste Transport. Method by which RCRA waste is received (check all that	apply):						
	TruckRailDedicated Pipe							
F.11.	Waste Description. Give EPA hazardous waste number and amount (volum	e or mass, specify units).						
	EPA Hazardous Waste Number Amount	<u>Units</u>						
	CLA (SUPERFUND) WASTEWATER, RCRA REMEDIATION/CO ON WASTEWATER, AND OTHER REMEDIAL ACTIVITY WAST							
F.12.	Remediation Waste. Does the treatment works currently (or has it been noti	ried that it will) receive waste from remedial activities?						
	Yes (complete F.13 through F.15.)No							
	Provide a list of sites and the requested information (F.13 - F.15.) for each cu	rrent and future site.						
F.13.	Waste Origin. Describe the site and type of facility at which the CERCLA/RC the next five years).	RA/or other remedial waste originates (or is expected to originate in						
F.14.	Pollutants. List the hazardous constituents that are received (or are expected (Attach additional sheets if necessary).	to be received). Include data on volume and concentration, if known.						
F.15.	Waste Treatment.							
	a. Is this waste treated (or will it be treated) prior to entering the treatment we	orks?						
	YesNo							
	If yes, describe the treatment (provide information about the removal effici	ency):						
	b. Is the discharge (or will the discharge be) continuous or intermittent?							
	ContinuousIntermittent If intermittent, or	escribe discharge schedule.						

END OF PART F.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE

FACILITY NAME AND PERMIT NUMBER:

Form Approved 1/14/99 OMB Number 2040-0086

SUPPLEMENTAL APPLICATION INFORMATION

PART G. COMBINED SEWER SYSTEMS

If the treatment works has a combined sewer system, complete Part G.

- G.1. System Map. Provide a map indicating the following: (may be included with Basic Application Information)
 - a. All CSO discharge points.
 - b. Sensitive use areas potentially affected by CSOs (e.g., beaches, drinking water supplies, shellfish beds, sensitive aquatic ecosystems, and outstanding natural resource waters).
 - c. Waters that support threatened and endangered species potentially affected by CSOs.
- **G.2. System Diagram.** Provide a diagram, either in the map provided in G.1. or on a separate drawing, of the combined sewer collection system that includes the following information:
 - a. Locations of major sewer trunk lines, both combined and separate sanitary.
 - b. Locations of points where separate sanitary sewers feed into the combined sewer system.
 - c. Locations of in-line and off-line storage structures.
 - d. Locations of flow-regulating devices.
 - e. Locations of pump stations.

CSO	\sim 1	ITE /	١ı	ı c.
1.50				_

	.	JII ALLS.			
Com	nplet	e questions G.3 through	G.6 once for each CSO discharge point.		
G.3.	Des	cription of Outfall.			
		•			
	a.	Outfall number			
	b.	Location	(City or town, if applicable)	(Zip Code)	
			(0.9)	(
			(County)	(State)	
			(County)	(Oldio)	
			(Latitude)	(Longitude)	
			(Edinoso)	(Longitudo)	
	C.	Distance from shore (if ap	oplicable)	ft.	
	d.	Depth below surface (if a	pplicable)	ft.	
	e.		ere monitored during the last year for this CS0	O?	
		5	g - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		
		Rainfall	CSO pollutant concentrations	CSO frequency	
		CSO flow volume	Receiving water quality		
	f.	How many storm events v	were monitored during the last year?		
G 4	csc	D Events.			
•					
	a.	Give the number of CSO	events in the last year.		
		events (actual or approx.)		
	b.	Give the average duration	n per CSO event.		
		hours (actual or approx)		

FAC	ILITY	Y NAME AND PERMIT NUMBER:	Form Approved 1/14/99 OMB Number 2040-0086				
	C.	Give the average volume per CSO event.					
		million gallons (actual or approx.)					
	d.	Give the minimum rainfall that caused a CSO event in the last year.					
		inches of rainfall					
G.5.	Des	cription of Receiving Waters.					
	a.	Name of receiving water:					
	b.	Name of watershed/river/stream system:					
		United States Soil Conservation Service 14-digit watershed code (if known)					
	C.	Name of State Management/River Basin:					
		United States Geological Survey 8-digit hydrologic cataloging unit code (if k	nown):				
G.6.	csc	O Operations.					
	Describe any known water quality impacts on the receiving water caused by this CSO (e.g., permanent or intermittent beach closings, permanent or intermittent shell fish bed closings, fish kills, fish advisories, other recreational loss, or violation of any applicable State water quality standard).						
	_						

END OF PART G.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE.

Additional information, if provided, will appear on the following pages.

NPDES FORM 2A Additional Information

Instructions for Completing Form 2A Application for a NPDES Permit

Federal Register, August 4, 1999, Vol. 64, No. 149, National Pollutant Discharge Elimination System Permit Application Requirements for Publicly Owned Treated Works and Other Treatment Works Treating Domestic Sewage; Final Rule, Effective December 2, 1999

PAPERWORK REDUCTION ACT NOTICE: The annual public reporting and recordkeeping burden for this collection of information is estimated to average 9.6 hours per response. Burden means the total time, effort, or financial resources expended by persons to generate, maintain, retain, or disclose or provide information to or for a Federal agency. This includes the time needed to review instructions; develop, acquire, install, and utilize technology and systems for the purposes of collecting, validating, and verifying information, processing and maintaining information, and disclosing and providing information; adjust the existing ways to comply with any previously applicable instructions and requirements; train personnel to be able to respond to a collection of information; search data sources; complete and review the collection of information; and transmit or otherwise disclose the information. An Agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number.

Send comments regarding the Agency=s need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including through the use of automated collection techniques to the Director, OP Regulatory Information Division, U.S. Environmental Protection Agency (2137), 401 M St., S.W., Washington, DC 20460. Include the OMB control number in any correspondence. Do not send the completed Form 2A to this address.

BACKGROUND INFORMATION

Each wastewater treatment works that discharges treated effluent to waters of the United States and/or waters of the State of South Carolina must apply for a permit for its discharges. This permitting requirement is part of the National Pollutant Discharge Elimination System (NPDES) program, which is implemented by the U.S. Environmental Protection Agency (EPA). You can obtain a permit for your treatment works by filling out and sending in the appropriate form(s) to your permitting authority. If the State in which your treatment works is located operates its own NPDES program, then the State is your permitting authority and you should ask your State for permit application forms. On the other hand, if EPA operates the NPDES program in your State, then EPA is the permitting authority, and you must fill out and send in Form 2A.

These instructions explain how to fill out each question in Form 2A. However, not every applicant will have to fill out every section of Form 2A. You may determine which parts of Form 2A apply the your treatment works by reading the Application Overview section on page 1 of Form 2A before filling out the form.

COMMONLY ASKED QUESTIONS

What If I Need More Space for Mv Answer?

If you need more room for your answer than is provided on the form, attach a separate sheet called AAdditional Information.≅ At the top of the separate sheet, put the name of your plant, your plant=s NPDES permit number, and the number of the outfall that you are writing about, if applicable. Also, next to your answer, put the question number (from Form 2A). Provide this information on any drawings or other papers that you attach to your application as well.

Will the Public Be Able to See the Information I Submit?

Any information you submit on Form 2A will be available to the public. If you send in more information than is requested on Form 2A that is considered company-privileged information, you may ask EPA to keep that extra information confidential. Note that you cannot ask EPA to keep effluent data confidential. If you want any of the extra information to be kept confidential, inform EPA of this when you submit your application. Otherwise, EPA may make the information public without letting you know in advance. For more information on claims of confidentiality, see EPA=s business confidentiality regulations at Title 40, Part 2 of the Code of Federal Regulations (CFR).

How Do I Complete the Forms?

Answer every question on Form 2A that applies to your treatment works. If your answer to a question requires more room than there is on the form, please attach additional sheets as described above. If a particular question does not apply to your treatment works, write AN/A≅ (meaning Anot applicable≅) as your answer to that question. If you need additional guidance on filling out these forms, contact your EPA Regional Office or your State office.

Which Parts of the Form Apply?

Form 2A is presented in a modular format, consisting of two packets: the Basic Application Information packet and the Supplemental Application Information packet. The Basic Application Information Packet is divided into three parts. All applicants must complete Part A (Basic Application Information For All Applicants) and Part C (Certification). Applicants with a design flow greater than or equal to 0.1 mgd must also complete Part B (Additional Application Information For Applicants With A Design Flow Greater Than Or Equal To 0.1 MGD). Some applicants must also complete the Supplemental Application Information packet. Refer to the Application Overview on page 1 of Form 2A to determine which parts of the Supplemental Application Information you must complete.

STEP-BY-STEP INSTRUCTIONS

The following section provides clarification and additional information for the questions on Form 2A. Most of the terms used in Form 2A are defined in the NPDES regulations at 40 CFR 122.2.

BASIC APPLICATION INFORMATION

PART A (Basic Application Information For All Applicants)

A.1. Facility Information

Provide your plant=s official or legal name. Do not use a nickname or short name. Also provide your plant=s mailing address, a contact person at the plant, his/her title, and that person=s work telephone number. The contact person should be someone who has a thorough understanding of the operation of the treatment works. The permitting authority may call this person if there are any questions about the application. Also provide the actual facility address (if different than the mailing address). The facility location should be a street address (not a Post Office box number) or other description of the actual location of the facility. Be sure to provide the city or county and state in which the facility is located.

A.2.Applicant Information

If someone other than the facility contact person is actually submitting this application (e.g., a consultant), provide the name and mailing address of that person=s organization. Also provide the name of a contact person, his/her title, and his/her work telephone number. The permitting authority may call this person if there are any questions about the application.

A.3. Existing Environmental Permits

Provide the permit number of each currently effective permit issued to the treatment works for NPDES, UIC, RCRA, PSD, and any other environmental programs. If you have previously filed an application but have not yet received a permit, give the number of the application, if any. If you have more than one currently effective permit under a particular permit program, list each such permit number. List any other relevant environmental permits under AOther.≅

A.4. Collection System Information

Provide the names of all the cities, towns, and unincorporated areas served by your plant and enter the number of people served by your plant at the time you complete this form. Indicate whether each portion of the collection system is separate or combined storm and sanitary, if known, and note the ownership status of each portion of the system (municipal, private, etc.).

A.5.Indian Country

Indian Country means all land within the limits of any Indian reservation under the jurisdiction of the United States Government notwithstanding the issuance of any patent, and including rights-of-way running through the reservation. Indicate whether your plant is located in (i.e., within the limits of) Indian Country and whether the water body into which your plant discharges flows through Indian Country after it receives your plant discharge.

A.6.Flow

- a. Provide your plant=s current design flow rate. Treatment works with a design flow less than 5 mgd must provide the design influent flow rate to two decimal places. Treatment works that are greater than or equal to 5 mgd must report this to 1 decimal place. This is because fluctuations of 0.01 mgd to 0.09 mgd in smaller treatment works represent a significant percentage of daily flow.
- b. Enter the annual average daily flow rate, in million gallons per day, that your plant actually treated this year and each of the past two years for days that your plant actually discharges. Each year=s data must be based on a 12-month time period, with the 12th month of Athis year occurring no more than three months prior to this application submittal.

c. Enter the maximum daily flow rate, in million gallons per day (mgd), that your plant received this year and each of the past two years. Each year=s data must be based on a 12-month time period, with the 12th month of Athis year occurring no more than three months prior to this application submittal.

A.7.Collection System

Indicate what type of collection system brings wastewater to your plant. If you check both of the collection systems indicated on the form, you must also provide an estimate of what percentage (in terms of miles of pipe) of your entire collection system each type represents. For example, 80 percent separate sanitary sewers would mean that 80 percent of the actual miles of pipes are separate sanitary sewers (and 20 percent are combined sewers).

A.8. Discharges and Other Disposal Methods

- a. Note whether the treatment works discharges effluent to waters of the U.S and/or waters of the State of South Carolina. If yes, note the number of treated effluent discharge points, untreated or partially treated effluent discharge points, combined sewer overflow points, constructed emergency overflows prior to the headworks, and any other discharge points. Dischargers of effluent to waters of the U.S. and/or waters of the State of South Carolina with flow rates greater than or equal to 0.1 mgd must also complete questions B.1 through B.6 and, in some cases, Part D (Expanded Effluent Testing Data) of Form 2A. See the Application Overview on page 1 of Form 2A for more information.
- b. A surface impoundment with no point source discharge (to waters of the U.S. and/or waters of the State of South Carolina) is a holding pond or basin that is large enough to contain all wastewaters discharged into it. It has no places where water overflows from it. It is used for evaporation of water and very little water seeps into the ground. Your plant must report the location of each surface impoundment, the annual average volume discharged to each impoundment, and the frequency of discharge into the surface impoundment (i.e., is the discharge continuous or intermittent). If your plant discharges to more than one surface impoundment, use an additional sheet (or sheets) to give this information for each impoundment. Attach the additional sheet(s) to the application form. The information on the location of the surface impoundment(s) may be referenced on the topographic map prepared under question B.2, if applicable.
- c. Land application is the spraying or spreading of treated wastewater over an area of land. If your plant applies wastewater to land, you must list the site location, the size of the site (in acres), the annual average daily volume applied to the site, and the frequency of application (i.e., is the application continuous or intermittent). If your plant applies wastewater to more than one site, provide the information for each site on a separate sheet (or sheets). Attach the additional sheet(s) to your application form. The information on the location of the land application site may be referenced on the topographic map prepared under question B.2, if applicable.
- d. If your plant discharges treated or untreated wastewater to another treatment works (including a municipal waste transport or collection system), provide the information requested in question A.8.d. If your plant sends wastewater to more than one treatment works, provide this information for each treatment works on an additional sheet (or sheets). Attach the additional sheet(s) to your application form. Describe how the wastewater is transported to the other treatment works. Also provide the name and mailing address of the company that transports your plant=s wastewater to this treatment works as well as the name, phone number, and title of the contact person at the transportation company. Also provide the name and mailing address of each treatment works that receives wastewater from your plant as well as the name, phone number, and title of the contact person at the treatment works that receives your plant=s wastewater and the NPDES permit number for the treatment works, if known. Indicate the average daily flow, in million gallons per day, that is sent from your plant to the other treatment works.
- e. If your plant disposes of its wastewater in some way that was not described by A.8.a through A.8.d above, briefly describe how your plant discharges or disposes of its wastewater. Also give the annual daily volumes disposed of this way and indicate whether the discharge is continuous or intermittent. Other ways to discharge or dispose include underground percolation and well injection.

Wastewater Discharges

If this treatment works does not discharge treated wastewater to waters of the United States and/or waters of the State of South Carolina, do not complete questions A.9 through A.11. Instead, go to Part C (Certification). Note that you may also be required to complete portions of the Supplemental Application Information packet.

Answer questions A.9 through A.12 once for <u>each</u> outfall (including bypass points) through which your treatment works discharges effluent to surface waters of the United States and/or waters of the State of South Carolina. Do not include information about combined sewer overflow discharge points. Surface water means

creeks, streams, rivers, lakes, estuaries, and oceans. If your treatment works has more than one outfall, copy and complete questions A.9 through A.12 once for each outfall.

A.9. Description of Outfall

- a-e. Give the outfall number and its location. For location, provide the city or town (if applicable), zip code, county, state, and latitude and longitude to the nearest second. If this outfall is a subsurface discharge (e.g., into an estuary, lake, or ocean), indicate how far the outfall is from shore and how far below the water's surface it is. Give these distances in feet at the lowest point of low tide. Also provide the average daily flow rate in million gallons per day.
- f. Mark whether this outfall is a periodic or intermittent discharge. A Aperiodic discharge≅ is one that happens regularly (for example, monthly or seasonally), but is not continuous all year. An Aintermittent discharge≅ is one that happens sometimes, but not regularly. Discharges from holding ponds, lagoons, etc., may be included as periodic or intermittent. Give the number of times per year a discharge occurs from this outfall. Also tell how long each discharge lasts and how much water is discharged, in million gallons per day. List each month when discharge happens. If you do not have records of exact months in which such discharges occurred, provide an estimate based on the best available information.
- g. Indicate whether the outfall is equipped with a diffuser.

A.10.Description of Receiving Waters

- a. Give the name of the surface water to which this outfall discharges and the waterbodies to which the discharge will ultimately flow. For example, AControl Ditch A, then into Stream B, then into River C, and finally into River D in River Basin E.≅
- b. If known, provide the name of the watershed in which the receiving water (identified in question A.10.a) is located. If known, also provide the 14-digit watershed code assigned to this watershed by the U.S. Soil Conservation Service.
- c. If known, provide the name of the State Management/River Basin into which this outfall discharges. If known, also provide the 8-digit hydrologic cataloging unit code assigned by the U.S. Geological Survey.
- d. If known and if the water body is a river or stream, provide the acute and chronic critical low flow in cubic feet per second (cfs). If you are unsure of these numbers, the U.S. Geological Survey may be able to give them to you or you may be able to get these numbers from prior studies.
- e. Give the total hardness of the receiving stream at critical low flow, in milligrams per liter of CaCO₃, if applicable.

A.11.Description of Treatment

- a. Indicate the levels of treatment that your plant provides for the discharge from this outfall.
- b. Give the design removal rates, in percent, for biochemical oxygen demand (BOD₅) or carbonaceous biochemical oxygen demand (CBOD₅), suspended solids (SS), phosphorus (P), nitrogen (N), and any other parameter requested by the permitting authority.
- c. Describe the type of disinfection your plant uses (for example, chlorination, ozonation, ultraviolet, etc.) and any seasonal variation in disinfection technique that may occur. If your plant uses chlorination, indicate whether it also dechlorinates.
- d. Note whether the facility has post aeration.

A.12.Effluent Testing Information

All applicants that discharge effluent to waters of the United States and/or waters of the State of South Carolina must provide effluent testing data for each outfall. Refer to the following table to determine which effluent testing information questions you must complete and to determine the number of pollutant scans on which to base your data. See the Application Overview on page 1 of Form 2A for more information.

Treatment Works Characteristics	Form 2A Requirements	Minimum Number of Scans (see Appendix A)
o Design flow rate less than 1 mgd, <u>and</u> o Not required to have (or does not have) a pretreatment program	Question A.12	3
o Design flow rate greater than or equal to 1 mgd, or or Required to have a pretreatment program (or has one in place), or o Otherwise required by the permitting authority to provide the data	Question A.12 and Part D of Supplemental Application Information Packet	3

Complete question A.12 <u>once for each outfall</u> through which effluent is discharged to waters of the United States and/or waters of the State of South Carolina. Indicate on each page the outfall number (as assigned in question A.9) for which the data are provided. Do not include information about combined sewer overflow discharge points in question A.12. For specific instructions on completing the pollutant tables in question A.12, refer to Appendix A of these instructions.

PART B (Additional Application Information for Applicants with a Design Flow Greater Than Equal to 0.1 MGD)

All applicants with a design flow rate greater than or equal to 0.1 mgd must answer questions B.1 through B.6.

B.1.Inflow and Infiltration

Estimate the average daily flow rate of inflow and infiltration in gallons per day and steps the facility is taking to minimize inflow and infiltration.

B.2. Topographic Map

Provide a topographic map (or other map if a topographic map is unavailable) extending at least one mile beyond property boundaries of the treatment plant, including all unit processes. In addition, the map must show the following:

- a. Treatment plant area and unit processes:
- b. Major pipes or other structures through which wastewater enters the treatment plant and the pipes or other structures through which treated wastewater is discharged from the treatment plant. Include outfalls from bypass piping, if applicable;
- c. Each well where fluids from the treatment plant is injected underground;
- d. Wells, springs, and other surface waterbodies listed in public records or otherwise known to the applicant within one-quarter mile of the treatment works= property boundary;
- e. Sewage sludge management facilities (including on-site treatment, storage, and disposal sites); and
- f. Location at which waste classified as hazardous under RCRA enters the treatment plant by truck, rail, or dedicated pipe

B.3. Process Flow Diagram or Schematic

Provide a diagram showing the processes of the treatment plant, including all bypass piping and all backup power sources or redundancy in the system. Include a water balance showing all treatment units, including disinfection, and showing daily average flow rates at influent and discharge points, and approximate daily flow rates between treatment units. Include a brief narrative description of the diagram.

B.4. Operation/Maintenance Performed by Contractor(s)

If a contractor carries out any operational or maintenance aspects associated with wastewater treatment or effluent quality at this facility, provide the name, mailing address, and telephone number of each such contractor. Also provide a description of the responsibilities of the contractor. Attach additional pages if necessary.

B.5. Scheduled Improvements and Schedules of Implementation

Provide information on any improvements to your treatment works that you are currently planning. Include only those improvements that will affect the wastewater treatment, effluent quality, or design capacity of your treatment works (such improvements may include regionalization of treatment works). Also list the schedule for

when these improvements will be started and finished. If your treatment works has more than one improvement planned, use a separate sheet of paper to provide information for each one.

- a. List each outfall number that is covered by the implementation schedule. The outfall numbers you use must be the same as the ones provided under question A.9.
- b. Indicate whether the planned improvements or implementation schedules are required by local, State, or Federal agencies.
- c. Provide a brief description of the improvements to be made for the outfalls listed in question B.5.a, including new maximum daily inflow rate, if applicable.
- d. Provide the information requested for each planned improvement. Supply dates for the following stages of any compliance schedule. For improvements that are planned independently of local, State, or Federal agencies, indicate planned or actual completion dates, as applicable. If a step has already been finished, give the date when that step was completed.
 - ∃ ABegin Construction≅ means the date you plan to start construction.
 - ∃ AEnd Construction≅ means the date you expect to finish construction.
 - ∃ ABegin Discharge≅ means the date that you expect a discharge will start.
 - ∃ AAttain Operational Level≅ means the date that you expect the effluent level will meet your plant's implementation schedule conditions.
- e. Note whether your treatment works has received appropriate permits or clearances that are required by other Federal or State requirements. If you have received such permits, describe them.

PART C (Certification)

Before completing the Certification statement, review the Application Overview section on the cover page of Form 2A to make sure that you have completed all applicable sections of Form 2A, including any parts of the Supplemental Application Information packet.

All permit applications must be signed and certified. Also indicate in the boxes provided which sections of Form 2A you are submitting with this application.

An application submitted by a <u>municipality</u>, <u>State</u>, <u>Federal</u>, <u>or other public agency</u> must be signed by either a principal executive officer or ranking elected official. A principal executive officer of a Federal agency includes: (1) The chief executive officer of the agency, or (2) a senior executive officer having responsibility for the overall operations of a principal geographic unit of the agency (e.g., Regional Administrators of EPA).

An application submitted by a <u>corporation</u> must be signed by a responsible corporate officer. A responsible corporate officer means: (1) A president, secretary, treasurer, or vice president in charge of a principal business function, or any other person who performs similar policy- or decision-making functions; or (2) the manager of manufacturing, production, or operating facilities employing more than 250 persons or having gross annual sales or expenditures exceeding \$25 million (in second quarter 1980 dollars), if authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures.

An application submitted by a <u>partnership or sole proprietorship</u> must be signed by a general partner or the proprietor, respectively.

SUPPLEMENTAL APPLICATION INFORMATION PACKET

EPA has developed Form 2A in a modular format, consisting of two packets: the Basic Application Information packet and the Supplemental Application Information packet. As directed by the Application Overview section on page 1 of Form 2A, certain applicants will need to complete one or more parts of the Supplemental Application Information packet in addition to some or all of the Basic Application Information packet. Refer to the Application Overview section to determine which part(s) of Form 2A you must complete.

The Supplemental Application Information packet is divided into the following parts:

- ∃ Part D Expanded Effluent Testing Data
- ∃ Part E Toxicity Testing Data
- ∃ Part F Industrial User Discharges and RCRA/CERCLA Wastes
- ∃ Part G Combined Sewer Systems

PART D (EXPANDED EFFLUENT TESTING DATA)

A treatment works that discharges effluent to surface waters of the United States and/or waters of the State of South Carolina and meets one or more of the following criteria must complete Part D (Expanded Effluent Testing Data):

- ∃ Has a design flow rate greater than or equal to 1 mgd;
- ∃ Is required to have a pretreatment program (or has one in place); or
- ∃ Is otherwise required by the permitting authority to provide the information

Refer to the following table to determine which effluent testing information questions you must complete and to determine the number of pollutant scans on which to base your data.

Treatment Works Characteristics	Form 2A Requirements	Minimum Number of Scans (see Appendix A)
o Design flow rate less than 1 mgd but greater than 0.1 mgd, <u>and</u> o Not required to have (or does not have) a pretreatment program	Question B.6	3
o Design flow rate greater than or equal to 1 mgd, or o Required to have a pretreatment program (or has one in place), or o Otherwise required by the permitting authority to provide the data	Question B.6 <u>and</u> Part D of Supplemental Application Information Packet	3

Complete Part D once for each outfall through which effluent is discharged to waters of the United States and/or waters of the State of South Carolina. Indicate on each page the outfall number (as assigned in question A.9 of the Basic Application Information packet) for which the data are provided. Using the blank rows provided on the form, submit any data the facility may have for pollutants not specifically listed in Part D. Note that the permitting authority may require additional testing on a case-by-case basis.

For specific instructions on completing the pollutant tables in Part D, refer to Appendix A of these instructions.

PART E (TOXICITY TESTING DATA)

Treatment works meeting one or more of the following criteria must complete Part E (Toxicity Testing Data):

- X Treatment works with a design flow rate greater than or equal to one mgd; or
- X Treatment works with an approved pretreatment program (as well as those required to have one under 40 CFR Part 403); or
- X Treatment works otherwise required by the permitting authority to submit the results of whole effluent toxicity testing.

Applicants completing Part E must submit the results from any whole effluent toxicity test conducted during the past four and one-half years that have not been reported or submitted to the permitting authority for each outfall discharging effluent to the waters of the United States and/or waters of the State of South Carolina. Do not include information on combined sewer overflows in this section. If the applicant conducted a whole effluent toxicity test during the past four and one-half years that revealed toxicity, then provide any information available on the cause of the toxicity or any results of a toxicity reduction evaluation, if one was conducted.

Test results provided in Part E must be based on multiple species being tested quarterly for a minimum of one year. For multiple species, EPA requires a minimum of two species (e.g., vertebrates and invertebrates). The permitting authority may require the applicant to include other species (e.g., plants) as well. Applicants must provide these tests for either acute or chronic toxicity depending on the range of the receiving water dilution. EPA recommends that applicants conduct acute or chronic toxicity testing based on the following dilutions:

- X Acute toxicity testing if the dilution of the effluent is greater than 1000:1 at the edge of the mixing zone.
- X Acute or chronic toxicity testing if the dilution of the effluent is between 100:1 and 1000:1 at the edge of the mixing zone. Acute testing may be more appropriate at the higher end of this range (1000:1), and chronic testing may be more appropriate at the lower end of this range (100:1).
- X Chronic toxicity testing if the dilution of the effluent is less than 100:1 at the edge of the mixing zone.

All data provided in Part E must be based on tests performed within four and one-half years prior to completing this application. The tests must have been conducted since the last NPDES permit issuance or permit modification under 40 CFR 122.62(a). In addition, applicants only need to submit data that have not previously been submitted to the permitting authority. Thus, if test data have already been submitted (within the last four and one-half years) in accordance with an issued NPDES permit, the treatment works may note the dates the tests were submitted and need not fill out the information requested in question E.2 for that test.

Additional copies of Part E may be used in submitting the required information. A permittee having no significant toxicity in the effluent over the past year and who has submitted all toxicity test results through the end

of the calendar quarter preceding the time of permit application would need to supply no additional toxicity testing data as part of this application. Instead, the applicant should complete question E.4, which requests a summary of bioassay test information already submitted. (See below for more detailed instructions on completing question E.4)

Where test data are requested to be reported, the treatment works has the option of reporting the requested data on Form 2A or on reports supplied by the laboratories conducting the testing, provided the data requested are complete and presented in a logical fashion. The permitting authority reserves the right to request that the data be reported on Form 2A.

E.1.Required Tests

Provide the total number of chronic and acute whole effluent toxicity tests conducted in the past four and one-half years. A "chronic" toxicity test continues for a relatively long period of time, often one-tenth the life span of the organism or more. An Aacute≅ toxicity test is one in which the effect is observed in 96 hours or less.

E.2.Individual Test Data

Complete E.2 for each test conducted in the last four and one-half years for which data has not been submitted. Use the columns provided on the form for each test and specify the test number at the top of each column. Use additional copies of question E.2 if more than three tests are being reported. The parameters listed on the form are based on EPA-recommended test methods. Permittees may be required by the permitting authority to submit additional test parameter data for the purposes of quality assurance.

If the treatment works is conducting whole effluent toxicity tests and reporting its results in accordance with a NPDES permit requirement, then the treatment works may note the dates the tests were submitted and need not fill out the information requested in question E.2. for those tests (unless otherwise required by the permitting authority).

- a. Provide the information requested on the form for each test reported. Under ATest species & test method number,≅ provide the scientific name of the organism used in the test and the test method number. The "Outfall number" reported must correlate to the outfall numbers listed in question A.9 of the Basic Application Information packet.
- b. Provide the source of the toxicity test methods followed. In conducting the tests, the treatment works must use methods approved in accordance with 40 CFR Part 136 [Note: Approved methods are currently under development].
- c. Indicate whether 24-hour composite or grab samples were used for each test. For multiple grab samples, provide the number of grab samples used. Refer to Appendix A of the instructions for a definition of composite and grab samples.
- d. Indicate whether the sample was taken before or after disinfection and/or after dechlorination.
- e. Provide a description of the point in the treatment process at which the sample was collected.
- f. Indicate whether the test was intended to assess chronic or acute toxicity.
- g. Indicate which type of test was performed. A Astatic≅ test is a test performed with a single constant volume of water. In a Astatic-renewal≅ test, the volume of water is renewed at discrete intervals. In a Aflow-through≅ test, the volume of water is renewed continuously.
- h. Indicate whether laboratory water or the receiving water of the tested outfall was used as the source of dilution water. If laboratory water was used, provide the type of water used.
- i. Indicate whether fresh or salt water was used as the dilution water. For salt water, specify whether the salt water was natural or artificial (specify the type of artificial water used).
- j. For each concentration in the test series, provide the percentage of effluent used.
- k. Provide the minimum and maximum parameters measured during the test for pH, salinity, temperature, ammonia, and dissolved oxygen.
- I. Provide the results of each test performed. For acute toxicity tests, provide the percent survival of the test species in 100 percent effluent. Also provide the LC_{50} (Lethal Concentration to 50 percent) of the test. " LC_{50} " is the effluent (or toxicant) concentration estimated to be lethal to 50 percent of the test organisms during a specific period. Provide the 95% confidence interval, control percent survival, and any other test results requested by the permitting authority in the space provided. For chronic toxicity tests, provide data at the most sensitive endpoint. While this is generally expressed as a "NOEC" (No Observed Effect Concentration), it may be expressed as an "Inhibition Concentration" (e.g., " IC_{25} " Inhibition Concentration to 25 percent). The NOEC is the highest measured concentration of an effluent (or a toxicant) at which no significant adverse effects are observed on the test organisms at a specific time of observation. The IC_{25} is the effluent (or toxicant) concentration estimated to cause a 25 percent reduction in reproduction, fecundity, growth, or other non-quantal biological measurements. Provide the control percent survival. Indicate any other test results in the space provided.

m. Note whether reference toxicant data is available and indicate whether the reference toxicant test was within acceptable bounds. Provide the date on which the reference toxicant test was run. Also provide any other quality control/quality assurance information that may is requested by the permitting authority.

E.3. Toxicity Reduction Evaluation

A Toxicity Reduction Evaluation (TRE) is a site-specific study conducted in a stepwise process designed to identify the causative agents of effluent toxicity, evaluate the effectiveness of toxicity control options, and then confirm the reduction in effluent toxicity. If the treatment works is conducting a TRE as part of a NPDES permit requirement or enforcement order, then you only need to provide the date of the last progress report concerning the TRE in the area reserved for details of the TRE.

E.4. Summary of Submitted Biomonitoring Test Information

As stated above, applicants that have already submitted the results of biomonitoring test information over the past four and one-half years do not need to resubmit this data with Form 2A. Instead, indicate in question E.4 the date you submitted each report and provide a summary of the test results for each report. Include in this summary the following information: the outfall number and collection dates of the samples tested, dates of testing, toxicity testing method(s) used, and a summary of the results from the test (e.g, 100% survival in 40% effluent).

PART F (INDUSTRIAL USER DISCHARGES AND RCRA/CERCLA WASTES)

All treatment works receiving discharges from significant industrial users (SIUs) or facilities that receive RCRA, CERCLA, or other remedial wastes must complete Part F.

A Acategorical industrial user≅ is an industrial user that is subject to Categorical Pretreatment Standards under 40 CFR 403.6 and 40 CFR Chapter I, Subchapter N, which are technology-based standards developed by EPA setting industry-specific effluent limits. (A list of Industrial Categories subject to Categorical Pretreatment Standards is included in Appendix B.)

- A Asignificant industrial user≅ is defined in 40 CFR 403.3(t) as an industrial user that:
- X is subject to Categorical Pretreatment Standards under 40 CFR 403.6 and 40 CFR Chapter I, Subchapter N; and
- X any other industrial user that: discharges an average of 25,000 gallons per day or more of process wastewater to the treatment works (excluding sanitary, non-contact cooling and boiler blowdown wastewater); contributes a process wastestream that makes up 5 percent or more of the average dry weather hydraulic or organic capacity of the treatment works; or is designated as such by the Control Authority as defined in 40 CFR 403.12(a) on the basis that the industrial user has a reasonable potential for adversely affecting the treatment works operation or for violating any pretreatment standard or requirement (in accordance with 40 CFR 403.8(f)(6)).

An Aindustrial user≅ means any industrial or commercial entity that discharges wastewater that is not domestic wastewater. Domestic wastewater includes wastewater from connections to houses, hotels, non-industrial office buildings, institutions, or sanitary waste from industrial facilities. The number of Aindustrial users≅ is the total number of industrial and commercial users that discharge to the treatment works.

For the purposes of completing the application form, please provide information on non-categorical SIUs and categorical industrial users separately.

F.1. Pretreatment Program

Indicate whether the treatment works has an approved pretreatment program. An Aapproved pretreatment program= is a program administered by a treatment works that meets the criteria established in 40 CFR 403.8 and 403.9 and that has been approved by a Regional Administer or State Director.

Note that if this treatment works has or is required to have a pretreatment program, you must also complete Parts D and E of the Supplemental Application Information packet.

F.2. Number of Significant Industrial Users (SIUs) and Categorical Industrial Users (CIUs)

Provide the number of SIUs and the number of CIUs that discharge to the treatment works.

Significant Industrial User (SIU) Information

All treatment works that receive discharges from SIUs must complete questions F.3 through F.8. If your treatment works receives wastewater from more than one SIU, complete questions F.3 through F.8 <u>once for</u> each SIU.

F.3. Significant Industrial User Information

Provide the name and mailing address of each SIU. Submit additional pages as necessary.

F.4. Industrial Processes

Describe the actual process(es) (rather than simply listing them) at the SIU that affect or contribute to the SIU's discharge. For example, in describing a metal finishing operation, include such information as how the product is cleaned prior to finishing, what type of plating baths are in operation (e.g., nickel, chromium), how paint is applied, and how the product is polished. Attach additional sheets if necessary.

F.5. Principal Product(s) and Raw Material(s)

List principal products that the SIU generates and the raw materials used to manufacture the products.

F.6. Flow Rate

AProcess wastewater≅ means any water that, during manufacturing or processing, comes into direct contact with or results from the production or use of any raw material, intermediate product, finished product, byproduct, or waste product. Indicate the average daily volume, in gallons per day, of process wastewater and non-process wastewater that the SIU discharges into the collection system. Specify whether the discharges are continuous or intermittent.

F.7. Pretreatment Standards

Indicate whether the SIU is subject to local limits and categorical pretreatment standards. ALocal limits are enforceable local requirements developed by treatment works to address Federal standards as well as state and local regulations. ACategorical pretreatment standards are national technology-based standards developed by EPA, setting industry-specific effluent limits. These standards are implemented by 40 CFR 403.6. If the treatment works is subject to categorical pretreatment standards, indicate the category and subcategory.

F.8. Problems at the Treatment Works Attributed to Waste Discharged by the SIU

Provide information concerning any problems the treatment works has experienced that are attributable to discharges from the SIUs. Problems may include upsets or interference at the plant, corrosion in the collection system, or other similar events in the past three years.

RCRA Hazardous Waste Received by Truck, Rail or Dedicated Pipeline.

As defined in Section 1004(5) of the Resource Conservation and Recovery Act (RCRA), AHazardous waste≅ means Aa solid waste, or combination of solid wastes, which because of its quantity, concentration, or physical, chemical or infectious characteristics may:

- X cause or significantly contribute to an increase in mortality or an increase in serious irreversible, or incapacitating reversible, illness; or
- X pose a substantial present or potential hazard to human health or the environment when improperly treated, stored, transported, or disposed of, or otherwise managed.≅

Those solid wastes that are considered hazardous are listed under 40 CFR Part 261. Treatment works that accept hazardous wastes by truck, rail, or dedicated pipeline (a pipeline that is used to carry hazardous waste directly to a treatment works without prior mixing with domestic sewage) within the property boundary of the treatment works are considered to be hazardous waste treatment, storage, and disposal facilities (TSDFs) and, as such, are subject to regulations under RCRA. Under RCRA, mixtures of domestic sewage and other wastes that commingle in the treatment works collection system prior to reaching the property boundary, including those wastes that otherwise would be considered hazardous, are excluded from regulation under the domestic sewage exclusion. Hazardous wastes that are delivered directly to the treatment works by truck, rail, or dedicated pipeline do not fall within the exclusion. Hazardous wastes received by these routes may only be accepted by treatment works if the treatment works complies with applicable RCRA requirements for TSDFs.

Applicants completing questions F.9 through F.11 should have indicated all points at which RCRA hazardous waste enters the treatment works by truck, rail, or dedicated pipe in the map provided in question B.2 of the Basic Application Information packet, if applicable.

F.9. RCRA Waste

Indicate whether the treatment works currently receives or has received RCRA waste by truck, rail, or dedicated pipe in the past three years.

F.10.Waste Transport

Indicate the method by which RCRA waste is received at the treatment works.

F.11.Waste Description

Provide the EPA hazardous waste numbers, which are located in 40 CFR Part 261, Subparts C & D, and the amount (in volume or mass) received.

CERCLA (Superfund) Wastewater and RCRA Remediation/ Corrective Action Wastewater.

Substances that are regulated under Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) are described and listed in 40 CFR Part 302. Questions F.12 through F.15 apply to the type, origin, and treatment of CERCLA wastes currently (or expected to be) discharged to the treatment works.

F.12.CERCLA Waste

Indicate whether this treatment works currently receives waste from a CERCLA (Superfund) site or plans to accept waste from a CERCLA site in the next five years. If it does, provide the information requested in F.13 through F.15 once for each site.

F.13.Waste Origin

Provide information about the CERCLA site that is discharging waste to the treatment works. Information must include a description of the type of facility and an EPA identification number if one exists.

F.14.Pollutants

Provide a list of the pollutants that are or will be discharged by the CERCLA site and the volume and concentration of such pollutants.

F.15.Waste Treatment

Provide information concerning the treatment used (if any) by the CERCLA site to treat the waste prior to discharging it to the treatment works. The information should include a description of the treatment technology, information on the frequency of the discharge (continuous or intermittent) and any data concerning removal efficiency.

PART G. (COMBINED SEWER SYSTEMS)

A combined sewer system collects a mixture of both sanitary wastewater and storm water runoff.

G.1. System Map

Indicate on a system map all CSO discharge points. For each such point, indicate any sensitive use areas and any waters supporting threatened or endangered species that are potentially affected by CSOs. Sensitive use areas include beaches, drinking water supplies, shellfish beds, sensitive aquatic ecosystems, and outstanding natural resource waters.

Applicants may provide the information requested in question G.1 on the map submitted in response to question B.2 in the Basic Application Information packet, if applicable.

All maps should be either on paper or other material appropriate for reproduction. If possible, all sheets should be approximately letter size with margins suitable for filing and binding. As few sheets should be used as necessary to show clearly what is involved. All discharge points should be identified by outfall number. Each sheet should be labeled with the applicant's name, NPDES permit number, location (city, county, or town), date of drawing, and designation of the number of sheets of each diagram as "page" of "."

G.2. System Diagram

Diagram the location of combined and separate sanitary major sewer trunk lines and indicate any connections where separate sanitary sewers feed into the combined sewer system. Clearly indicate the location of all in-line and off-line storage structures, flow regulating devices, and pump stations.

The drawing should be either on paper or other material appropriate for reproduction. If possible, all sheets should be approximately letter size with margins suitable for filing and binding. As few sheets should be used as necessary to show clearly what is involved. All discharge points should be identified by outfall number. Each sheet should be labeled with the applicant=s name, NPDES permit number, location (city, county, or town), date of drawing, and designation of the number of sheets of each diagram as "page of ".

CSO Outfalls

Fill out a copy of questions G.3 through G.6 <u>once for each CSO discharge point</u>. Attach additional pages as necessary.

G.3. Description of Outfall

a-f. Provide the outfall number and location (including city or town if applicable, state, county, and latitude and longitude to the nearest second). For subsurface discharges (e.g., discharges to lakes, estuaries, and oceans), provide the distance (in feet) of the discharge point from the shore and the depth (in feet) of the discharge point below the surface of the discharge point. Provide these distances at the lowest point of low tide. Indicate whether rainfall, CSO flow volume, CSO pollutant concentrations, receiving water quality, or

CSO frequency were monitored during the past 12 months. In addition, provide the number of storm events monitored during the past 12 months.

G.4. CSO Events

- a. Provide the number of CSO events that have occurred in the past 12 months. Indicate whether this is an actual or approximate number.
- b. Provide the average duration (in hours) per CSO event. Indicate whether this is an actual or approximate value
- c. Provide the average volume (in million gallons) of discharge per CSO incidents over the past 12 months. Indicate whether this is an actual or approximate number.
- d. Provide the minimum amount of rainfall that caused a CSO incident in the past 12 months.

G.5. Description of Receiving Waters

- a. List the name(s) of immediate receiving waters starting at the CSO discharge point and moving downstream. For example, "Control Ditch A, thence to Stream B, thence to River C, and thence to River D in the River Basin E."
- b. Provide the name of the watershed/river/stream system in which the receiving water (identified in question A.10.a) is located. If known, also provide the 14-digit watershed code assigned to this watershed by the U.S. Soil Conservation Service.
- c. Provide the name of the State Management/River Basin into which this outfall discharges. If known, also provide the 8-digit hydrologic cataloging unit code assigned by the U.S. Geological Survey.

G.6. CSO Operations

Provide a description of any known water quality impacts on the receiving water caused by CSOs from this discharge point. Water quality impacts include, but are not limited to, permanent or intermittent beach closings, permanent or intermittent shell fish bed closings, fish kills, fish advisories, other recreational loss, or violation of any applicable State water quality standard.

APPENDIX A

Guidance for Completing the Effluent Testing Information

-- All Treatment Works --

All applicants must provide data for each of the pollutants in question A.12 of the Basic Application Information packet. Some applicants must also provide data for the pollutants in question B.6 of the Basic Application Information packet and Part D of the Supplemental Application Information packet. All applicants submitting effluent testing data must base this data on a minimum of three pollutant scans. All samples analyzed must be representative of the discharge from the sampled outfall.

If you have existing data that fulfills the requirements described below, you may use that data in lieu of conducting additional sampling. If you measure more than the required number of daily values for a pollutant and those values are representative of your wastestream, you must include them in the data you report. In addition, use the blank rows provided on the form to provide any existing sampling data that your facility may have for pollutants not listed in the appropriate sections. All data provided in the application must be based on samples taken within three years prior to the time of this permit application.

Sampling data must be representative of the treatment works' discharge and take into consideration seasonal variations. At least two of the samples used to complete the effluent testing information questions must have been taken no fewer than 4 months and no more than 8 months apart. For example, one sample may be taken in April and another in October to meet this requirement. Applicants unable to meet this time requirement due to periodic, discontinuous, or seasonal discharges can obtain alternative guidance on this requirement from their permitting authority.

The collection of samples for the reported analyses should be supervised by a person experienced in performing wastewater sampling. Specific requirements contained in the applicable analytical methods should be followed for sample containers, sample preservation, holding times, and collection of duplicate samples. Samples should be taken at a time representative of normal operation. To the extent feasible, all processes that contribute to wastewater should be in operation and the treatment system should be operating properly with no system upsets. Samples should be collected from the center of the flow channel (where turbulence is at a maximum), at a location specified in the current NPDES permit, or at any location adequate for the collection of a representative sample.

A minimum of four grab samples must be collected for pH, temperature, cyanide, total phenols, residual chlorine, oil and grease, fecal coliform, <u>E. coli</u>, and enterococci (applicants need only provide data on <u>either</u> fecal coliform <u>or *E. coli*</u> and enterococci). For all other pollutants, 24-hour composite samples must be collected. However, a minimum of one grab sample, instead of a 24-hour composite, may be taken for effluent from holding ponds or other impoundments that have a retention period greater than 24 hours.

Grab and composite samples are defined as follows:

- X Grab sample: an individual sample of at least 100 milliliters collected randomly for a period not exceeding 15 minutes.
- X Composite sample: a sample derived from two or more discrete samples collected at equal time intervals or collected proportional to the flow rate over the compositing period. The composite collection method may vary depending on pollutant characteristics or discharge flow characteristics.

The permitting authority may allow or establish appropriate site-specific sampling procedures or requirements, including sampling locations, the season in which sampling takes place, the duration between sampling events, and protocols for collecting samples under 40 CFR Part 136. Contact EPA or the State permitting authority for detailed guidance on sampling techniques and for answers to specific questions. The following instructions explain how to complete each of the columns in the pollutant tables in the effluent testing information sections of Form 2A.

Maximum Daily Discharge. For composite samples, the daily discharge is the average pollutant concentration and total mass found in a composite sample taken over a 24-hour period. For grab samples, the daily discharge is the arithmetic or flow-weighted total mass or average pollutant concentration found in a series of at least four grab samples taken during the operating hours of the treatment works during a 24-hour period.

To determine the <u>maximum</u> daily discharge values, compare the daily discharge values from each of the sample events. Report the highest total mass and highest concentration level from these samples.

- X AConcentration≅ is the amount of pollutant that is present in a sample with respect to the size of the sample. The daily discharge concentration is the average concentration of the pollutant throughout the 24-hour period.
- X AMass \cong is calculated as the total mass of the pollutant discharged over the 24-hour period.

X All data must be reported as both concentration and mass (where appropriate). Use the following abbreviations in the columns headed "Units."

ppm parts per million gpd gallons per day

mgd million gallons per day

su standard units mg/l milligrams per liter

ppb parts per billion ug/l micrograms per liter

lbs pounds

ton tons (English tons)

mg milligrams g grams kg kilograms

T tonnes (metric tons)

Average Daily Discharge. The average daily discharge is determined by calculating the arithmetic mean daily pollutant concentration and the arithmetic mean daily total mass of the pollutant from each of the sample events within the three years prior to this permit application. Report the concentration, mass, and units used under the Average Daily Discharge column, along with the number of samples on which the average is based. Use the unit abbreviations shown above in "Maximum Daily Discharge."

If data requested in Form 2A have been reported on the treatment works= Discharge Monitoring Reports (DMRs), you may compile such data and report it under the maximum daily discharge and the average daily discharge columns of the form.

Analytical Method. All information reported must be based on data collected through analyses conducted using 40 CFR Part 136 methods. Applicants should use methods that enable pollutants to be detected at levels adequate to meet water quality-based standards. Where no approved method can detect a pollutant at the water quality-based standards level, the most sensitive approved method should be used. If the applicant believes that an alternative method should be used (e.g., due to matrix interference), the applicant should obtain prior approval from the permitting authority. If an alternative method is specified in the existing permit, the applicant should use that method unless otherwise directed by the permitting authority. Where no approved analytical method exists, an applicant may use a suitable method but must provide a description of the method. For the purposes of the application, "suitable method" means a method that is sufficiently sensitive to measure as close to the water quality-based standard as possible.

Indicate the method used for each pollutant in the AAnalytical Method≅ column of the pollutant tables. If a method has not been approved for a pollutant for which you are providing data, you may use a suitable method to measure the concentration of the pollutant in the discharge, and provide a detailed description of the method used or a reference to the published method. The description must include the sample holding time, preservation techniques, and the quality control measures used. In such cases, indicate the method used and attach to the application a narrative description of the method used.

Reporting Levels. The applicant should provide the method detection limit (MDL), minimum level (ML), or other designated method endpoint reflecting the precision of the analytical method used.

All analytical results must be reported using the actual numeric values determined by the analysis. In other words, even where analytical results are below the detection or quantitation level of the method used, the actual data should be reported, rather than reporting Anon-detect \cong (AND \cong) or Azero \cong (A0"). Because the endpoint of the method has also been reported along with the test results, the permitting authority will be able to determine if the data are in the Anon-detect \cong or Abelow quantitation \cong range.

For any dilutions made and any problems encountered in the analysis, the applicant should attach an explanation and any supporting documentation with the application. For GC/MS, report all results found to be present by spectral confirmation (i.e., quantitation limits or detection limits should not be used as a reporting threshold for GC/MS).

Total Recoverable Metals. Total recoverable metals are measured from unfiltered samples using EPA methods specified in 40 CFR Part 136.3. A digestion procedure is used to solubilize suspended materials and destroy possible organic metal complexes. The method measures dissolved metals plus those metals recovered from suspended particles by the method digestion.

APPENDIX B

Industrial Categories Subject to National Categorical Pretreatment Standards

Industrial Categories with Pretreatment Standards in Effect

Aluminum Forming

Asbestos Manufacturing

Battery Manufacturing

Builder=s Paper and Board Mills

Carbon Black Manufacturing

Coil Coating

Copper Forming

Electrical and Electronic Components

Electroplating

Feedlots

Ferroalloy Manufacturing

Fertilizer Manufacturing

Glass Manufacturing

Grain Mills Manufacturing

Ink Formulating

Inorganic Chemicals

Iron and Steel Manufacturing

Leather Tanning and Finishing

Metal Finishing

Metal Molding and Casting

Nonferrous Metals Forming and Metal

Powders

Nonferrous Metals Manufacturing

Organic Chemicals, Plastics and Synthetic Fibers

Paint Formulating

Paving and Roofing

Pesticide Manufacturing

Petroleum Refining

Pharmaceutical Manufacturing

Porcelain Enameling

Pulp, Paper and Paperboard

Rubber Manufacturing

Soap and Detergents Manufacturing

Steam Electric Power Generating

Sugar Processing

Timber Products Manufacturing

Industrial Categories with Effluent Guidelines Currently Under Development

Pulp, Paper, and Paperboard

Pesticide Formulating, Packaging, and Repackaging

Centralized Waste Treatment

Pharmaceutical Manufacturing

Metal Products and Machinery, Phase I

Industrial Laundries

Transportation Equipment Cleaning

Landfills and Incinerators

Metal Products and Machinery, Phase II